

- KOSSENKO, S. M. & FRY, C. H. 1998. Competition and coexistence of the European Bee-eater *Merops apiaster* and the Blue-cheeked Bee-eater *Merops persicus* in Asia. *Ibis* **140**: 2–13.
- KRISTÍN, A. 1994. Breeding biology and diet of the bee-eater (*Merops apiaster*) in Slovakia. *Biologia, Bratislava* **49**: 273–279.
- LI, P. J. & MARTIN, T. E. 1991. Nest-site selection and nesting success of cavity-nesting birds in high elevation forest drainages. *Auk* **108**: 405–418.
- MANLY, B. F. J., McDONALD, L. L. & THOMAS, D. L. 1993. Resource selection by animals. Statistical design and analysis for field studies. Chapman and Hall, London, 177 pp.
- MARTIN, T. E. & ROPER, J. J. 1988. Nest predation and nest-site selection of a western population of the hermit thrush. *Condor* **90**: 51–57.
- NAIME, J. M., VAZ, C. P. M. & MACEDO, A. 2000. Automated soil particle analyzer based on gamma-ray attenuation. *Computers and Electronics in Agriculture* **31**: 295–304.
- PARTRIDGE, L. 1981. Habitatwahl, pp. 273–291. In: KREBS, J. R. & DAVIES, N. B. (eds) *Öko-Ethologie*, Scientific Publications, Oxford, London.
- POWELL, B. F. & STEIDL, R. J. 2002. Habitat selection by riparian songbirds breeding in southern Arizona. *J. Wildl. Mgmt.* **66**: 1096–1103.
- SANDMANN-FUNKE, S. 1972. Untersuchungen zur Anlage von Uferschwalbenkolonien in Abhängigkeit von Bodentypen. *Abh. Landesmus. Naturkd. Münster* **34**: 88–94.
- SAVAGE, R. E. 1931. The relation between the feeding of the herring off the east coast of England and the plankton of the surrounding waters. *Fishery Investigation, Ministry of Agriculture, Food and Fisheries, Series 2, 12*, 1–88.
- SCHEPPS, J., LOHR, S. & MARTIN, T. E. 1999. Does tree hardness influence nest-tree selection by primary cavity nesters? *Auk* **116**: 658–665.
- SCHMIDT, M. W. I., RUMPEL, C. & KÖGEL-KNABNER, I. 1999. Particle size fractionation of soil containing coal and combusted particles. *Eur. J. Soil Sci.* **50**: 515–522.
- SIEBER, O. 1980. Bestand und Verbreitung der Uferschwalbe (*Riparia riparia*) 1980 in der Schweiz. *Z. Tierpsychol.* **52**: 19–56.
- ŠIMEČEK, K. 1997. Vývoj populace vlny pestré (*Merops apiaster*) na Moravě. *Crex* **10**: 7–15.
- ŠIMEČEK, K. 2000. Shrnutí výsledků mapování hnízdišť vlny pestré (*Merops apiaster*) na jižní Moravě v letech 1990–1999. *Crex* **16**: 15–27.

Received December 2, 2002
Accepted November 13, 2003

First records of *Dendrothrips degeeri* Uzel, 1895 (Thysanoptera, Thripidae) in Slovakia

Peter FEDOR

Department of Ecosozology, Faculty of Natural Sciences, Comenius University, Mlynská dolina, SK-84215 Bratislava, Slovakia, e-mail: fedor@fns.uniba.sk

Although research on thrips in Slovakia has not been very intensive and detailed yet, there are numerous faunistic data on this matter from various sites and biotopes. Most of them come from the study material of nidicolous fauna from nests of birds and mammals (PELIKÁN et al., 2002). Recently the new checklist of Slovakian thrips has been published (FEDOR et al., 2003) to update the first list from the 70's (PELIKÁN, 1977) taking the whole area of former Czechoslovakia into account. Establishing the new generation of

thysanopterologists resulted to cover new sites and to enrich knowledge on the national entomofauna in several species recorded here for the first time (SIERKA, 2003; FEDOR, 2003).

The first record of *Dendrothrips degeeri* Uzel, 1895 refers to intensive research on thrips in National nature reserve Jurský Šúr. From this point of view the site has been studied for about 40 years, for the first time by HESKOVÁ (1967), determining 56 species from 5 sites. Apart from this there are several more papers

dealing with thrips in Jurský Šúr (PELIKÁN, 1990; PELIKÁN et al., 2002; FEDOR et al., 2001; SIERKA, 2003; SIERKA & HALGÓS, 2003). The other records of *Dendrothrips degeeri* come from several sites in SW Slovakia (FEDOR et al., 2002).

In 2002 we published the first note on its national occurrence as a part of invertebrate fauna occurring in nests of birds and mammals (PELIKÁN et al., 2002). The data were of ecological character rather than faunistic, therefore this paper is aimed to specify faunistic aspects of the firstly recorded mentioned species and to add new information on its occurrence in Slovakia.

All the captured specimens were identified using the keys by SHLIEPHAKE & KLIMT (1979). The thrips were preserved according to the common and standard methods (LEWIS, 1973). The material has been deposited at the author's collection.

Thripidae Stephens, 1829

Dendrothrips degeeri Uzel, 1895

Material examined. SW Slovakia, Podunajská nížina lowland: **National nature reserve Jurský Šúr**, Svätý Jur env. (48°14' N, 17°17' E, 7769c = grid reference number of the Databank of the fauna of Slovakia), 5.XII.1985, 2 ♀♀ in a nest of *Turdus merula* L., 1758; 5.I.1987, 2 ♀♀ in a nest of *Lanius collurio* L., 1758; leg. M. Krumpál et D. Cyprich, det. J. Pelikán; **Čičov** (47°45' N, 17°16' E, 8272b), 18.XI.1985, 1 ♀ in a nest of *Turdus* sp., leg. M. Krumpál et D. Cyprich, det. J. Pelikán; **Galanta** (48°11' N, 17°47' E, 7872a), 16.I.1986, 1 ♀ in a nest of *Fringilla* sp., 1 ♀ in a nest of *Lanius* sp., leg. M. Krumpál et D. Cyprich, det. J. Pelikán; **Vojka pri Dunaji** (47°58' N, 17°35' E, 8070a), 19.I.1986, 2 ♀♀ in a nest of *Turdus* sp., 1 ♀ in a nest of *Sylvia* sp., leg. M. Krumpál et D. Cyprich, det. J. Pelikán; **Pusté Uľany** (48°14' N, 17°16' E, 7771c), 14.III.1986, 2 ♀♀ in a nest of *Turdus* sp., leg. M. Krumpál et D. Cyprich, det. J. Pelikán.
Distribution. Europe (SHLIEPHAKE & KLIMT, 1979), Bohemia (PELIKÁN, 1977).
Remarks. Holotype in the Czech Republic. Specimens usually occur as foliicolous and arboricolous thrips on *Fraxinus excelsior*, although these were recorded in nests of birds.

References

FEDOR, P. J. 2003. First records of *Thrips albopilosus* Uzel, 1895 (Thysanoptera: Thripidae) in Slovakia. *Biologia, Bratislava* **58**: 966.

- FEDOR, P. J., KRUMPÁL, M. & CYPRICH, D. 2002. Strapky (Thysanoptera) v hniezdach vtákov a cicavcov vybraných lokalít juho-západného Slovenska. *Folia Faun. Slov.* **7**: 31–34.
- FEDOR, P. J., PELIKÁN, J., CYPRICH, D. & KRUMPÁL, M. 2001. Thrips (Thysanoptera) in the nests of birds and mammals of the NPR Jurský Šúr. *Folia Faun. Slov.* **6**: 69–73.
- FEDOR, P. J., SIERKA, W. & MAJZLAN, O. 2003. The thrips of Slovakia – the first national check-list. *Folia Entomol. Hung.* (in press).
- HEŠKOVÁ, A. 1967. Príspevok k poznaniu thysanopterofauny rezervácie Šúr pri Jure. *Československá Ochrana Prírody – Sborník Slovenského Ústavu Pamiatkovej Starostlivosti a Ochrany Prírody v Bratislave* **5**: 279–318.
- LEWIS, T. 1973. Thrips. Their biology, ecology and economic importance. Academic Press, London, 349 pp.
- PELIKÁN, J. 1977. Thysanoptera, pp. 55–59. In: DIABOLA J. (ed.) Check list – Enumeratio insectorum bohemoslovakiae, *Acta Faun. Entomol. Mus. Nat. Pragae* **15**.
- PELIKÁN, J. 1990. Thysanoptera. Faunistic records from Czechoslovakia. *Acta Entomol. Bohemoslov.* **87**: 232–234.
- PELIKÁN, J., FEDOR, P. J., KRUMPÁL, M. & CYPRICH, D. 2002. Thrips (Thysanoptera) in nests of birds and mammals in Slovakia. *Ekológia, Bratislava* **21**: 275–282.
- SCHLIEPHAKE, G. & KLIMT, K. 1979. Thysanoptera. *Die Tierwelt Deutschlands*, 66., G. Fisher Verlag, Jena, 477 pp.
- SIERKA, W. 2003. First records of thrips (Thysanoptera) in Slovakia from the National nature reserve Jurský Šúr (SW Slovakia). *Biologia, Bratislava* **58**: 1001–1002.
- SIERKA, W. 2003. First records of thrips (Thysanoptera) in Slovakia from the National nature reserve Jurský Šúr (SW Slovakia). *Entomological Problems*, (in press.).
- SIERKA, W. & HALGÓS, J. 2003. The Thrips (Insecta: Thysanoptera) of the Šúr National Nature Reserve near Bratislava. *Entomofauna Carpathica* **15**: 14–19.

Received January 19, 2004

Accepted February 3, 2004